

Serial No. 10/656,246

March 17, 2005

Reply to the Office Action dated December 20, 2004

Page 2 of 11

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

Claim 1 (original): A piezoelectric resonator comprising:  
a substrate having one of an opening and a concavity;  
a vibrating section in which at least one pair of an upper electrode and a lower electrode oppose each other so as to sandwich an upper surface and a lower surface of a thin-film section having at least one layer of a piezoelectric thin film, the vibrating section being disposed over the one of the opening and the concavity; and  
a heat dissipating film located over at least one of the upper electrode and the thin-film section so as not to cover the vibrating section.

Claim 2 (original): A piezoelectric resonator according to Claim 1, wherein the heat dissipating film has a thermal conductivity of approximately 150 W/(m·K) or higher.

Claim 3 (original): A piezoelectric resonator according to Claim 2, wherein the heat dissipating film includes an insulating material selected from the group consisting of silicon, aluminum nitride, and diamond.

Claim 4 (original): A piezoelectric resonator according to Claim 2, wherein the heat dissipating film includes a metal selected from the group consisting of copper, aluminum, gold, and silver, or an alloy mainly composed of copper, aluminum, gold, or silver.

Claim 5 (original): A piezoelectric resonator according to Claim 1, wherein a distance between the heat dissipating film and the vibrating section is approximately one half of a vibrating wavelength of the vibrating section.

Serial No. 10/656,246

March 17, 2005

Reply to the Office Action dated December 20, 2004

Page 3 of 11

Claim 6 (original): A piezoelectric resonator according to Claim 1, wherein the one of the opening and the concavity is entirely covered by the heat dissipating film except over the vibrating section.

Claim 7 (original): A piezoelectric resonator according to Claim 5, wherein a peripheral region of the one of the opening and the concavity is covered by the heat dissipating film.

Claim 8 (original): A piezoelectric resonator according to Claim 1, wherein the vibrating section has a polygonal shape with edges of different lengths as viewed in a thickness direction, and at least a longest edge of the vibrating section extends along an edge of the one of the opening and the concavity.

Claim 9 (original): A piezoelectric resonator according to Claim 8, wherein the longest edge of the vibrating section has a length that is longer than a distance between the one of the opening and the concavity and a point of the vibrating section that is most distant from the edge of the one of the opening and the concavity.

Claim 10 (original): A piezoelectric resonator according to Claim 8, wherein a distance between the longest edge of the vibrating section and the edge of the one of the opening and the concavity is approximately one half of a vibrating wavelength of the vibrating section.

Claim 11 (original): A piezoelectric resonator according to Claim 10, wherein all the edges of the vibrating section extend along edges of the one of the opening and the concavity, and distances between all the edges of the vibrating section and the

Serial No. 10/656,246

March 17, 2005

Reply to the Office Action dated December 20, 2004

Page 4 of 11

associated edges of the one of the opening and the concavity are approximately one half of the vibrating wavelength of the vibrating section.

Claim 12 (original): A piezoelectric resonator according to Claim 8, wherein a sum  $W$  of all edges of the vibrating section, extending along edges of the one of the opening and the concavity, and a distance  $L$  between the opening or the concavity and a point of the vibrating section that is most distant from an edge of the one of the opening and the concavity satisfies a relationship of  $L/W \leq 0.8$ .

Claim 13 (original): A piezoelectric resonator according to Claim 8, wherein the vibrating section as viewed in the thickness direction is at least as long as approximately twenty times a vibrating wavelength of the vibrating section in a lengthwise direction thereof, and is not wider than approximately five times the vibrating wavelength in a width direction thereof.

Claim 14 (original): A piezoelectric resonator according to Claim 8, wherein the vibrating section as viewed in the thickness direction has a shape of an isosceles triangle.

Claim 15 (canceled)

Claim 16 (currently amended): A piezoelectric resonator according to Claim ~~15~~17, wherein the longest edge of the vibrating section has a length that is longer than a distance between the one of the opening and the concavity and a point of the vibrating section that is most distant from the edge of the one of the opening and the concavity.

Claim 17 (currently amended): ~~A piezoelectric resonator according to Claim 15,~~  
wherein A piezoelectric resonator comprising:

Serial No. 10/658,246  
March 17, 2005  
Reply to the Office Action dated December 20, 2004  
Page 5 of 11

a substrate having one of an opening and a concavity; and  
a vibrating section in which at least one pair of an upper electrode and a  
lower electrode oppose each other so as to sandwich an upper surface and a lower  
surface of a thin-film section having at least one layer of a piezoelectric thin film, the  
vibrating section being disposed over the one of the opening and the concavity; wherein  
the vibrating section as viewed in a thickness direction has a polygonal  
shape with edges of different lengths, and at least a longest edge of the vibrating  
section extends along an edge of the one of the opening and the concavity; and  
a distance between the longest edge of the vibrating section and the edge  
of the one of the opening and the concavity is approximately one half of a vibrating  
wavelength of the vibrating section.

Claim 18 (original): A piezoelectric resonator according to Claim 17, wherein all  
the edges of the vibrating section extend along edges of the one of the opening and the  
concavity, and distances between all the edges of the vibrating section and the  
associated edges of the one of the opening and the concavity are approximately one  
half of the vibrating wavelength of the vibrating section.

Claim 19 (currently amended): A piezoelectric resonator according to Claim  
4517, wherein a sum  $W$  of all edges of the vibrating section, extending along edges of  
the one of the opening and the concavity, and a distance  $L$  between the one of the  
opening and the concavity and a point of the vibrating section that is most distant from  
an edge of the opening or the concavity satisfies a relationship of  $L/W \leq 0.8$ .

Claim 20 (currently amended): A piezoelectric resonator according to Claim  
4517, wherein the vibrating section as viewed in the thickness direction is at least as  
long as than approximately twenty times a vibrating wavelength of the vibrating section

Serial No. 10/656,246  
March 17, 2005  
Reply to the Office Action dated December 20, 2004  
Page 6 of 11

in a lengthwise direction thereof, and is not wider than approximately five times the vibrating wavelength in a width direction thereof.

Claim 21 (currently amended): A piezoelectric resonator according to Claim ~~45~~17, wherein the vibrating section as viewed in the thickness direction has a shape of an isosceles triangle.

Claim 22 (original): A piezoelectric resonator according to Claim 1, wherein the piezoelectric thin film is composed mainly of zinc oxide or aluminum nitride.

Claim 23 (original): A piezoelectric filter comprising a piezoelectric resonator according to Claim 1.

Claim 24 (original): A piezoelectric filter comprising a plurality of piezoelectric resonators according to Claim 1, the piezoelectric resonators being arranged in a ladder configuration.

Claim 25 (original): A duplexer comprising a piezoelectric resonator according to Claim 1.

Claim 26 (original): A communication device comprising a piezoelectric resonator according to Claim 1.

Claim 27 (currently amended): A piezoelectric filter comprising a piezoelectric resonator according to Claim ~~45~~17.

Serial No. 10/656,246

March 17, 2005

Reply to the Office Action dated December 20, 2004

Page 7 of 11

Claim 28 (currently amended): A piezoelectric filter comprising a plurality of piezoelectric resonators according to Claim ~~45~~17, the piezoelectric resonators being arranged in a ladder configuration.

Claim 29 (currently amended): A duplexer comprising a piezoelectric resonator according to Claim ~~45~~17.

Claim 30 (currently amended): A communication device comprising a piezoelectric resonator according to Claim ~~45~~17.